



## LubriGold<sup>®</sup> Full Synthetic Multi-Vehicle DEXRON<sup>®</sup>-VI ATF

LubriGold Full Synthetic Multi-Vehicle DEXRON<sup>®</sup>-VI ATF represents the latest technology in full synthetic automatic transmission fluids. This ATF, designed for the newest generation of highly efficient transmissions now being installed in most vehicles, is DEXRON<sup>®</sup>-VI licensed by GM and meets JASO 1A performance requirements. It is a fuel efficient choice for older models as well, such as those currently using DEXRON<sup>®</sup>-III.

LubriGold Full Synthetic Multi-Vehicle DEXRON<sup>®</sup>-VI ATF is recommended for use in most GM DEXRON<sup>®</sup> applications and in transmissions applications calling for Toyota/Lexus/Scion WS, Nissan Matic J and Matic S, Ford part numbers XT-10-QLV and XT-6-QSP, Honda/Acura Z-1 and DW-1, and Hyundai SP-IV. Check owner's manual for specific recommendations.

This product is not recommended for DEXRON<sup>®</sup> HP, Ford Type F, Continuously Variable Transmissions (CVT) or Double Clutch Transmissions (DCT).

DEXRON<sup>®</sup> trademark used under license from General Motors Corporation.  
General Motors DEXRON<sup>®</sup>-VI ATF License Number: J-62100

### Benefits

- Outstanding resistance to oxidative and thermal breakdown
- Exceptional low temperature fluidity
- Excellent anti-wear properties.
- Excellent gear shift quality throughout service life.



**Warren Oil Company, LLC**

Dunn, NC 28334: Benton, AL 36758: San Antonio, TX 78210:  
Marion, IL 62959: Johnstown, PA 15909: West Memphis, AR 72301



## LubriGold<sup>®</sup> Full Synthetic Multi-Vehicle DEXRON<sup>®</sup>-VI ATF

May also be used in the following applications:

Audi/VW G-055-540 (A2)	GM Synthetic ATF
BMW 81 22 9 400 272/275 - DEXRON <sup>®</sup> II	GM Type A Suffix A
BMW 81 22 9 407 858/859 - DEXRON <sup>®</sup> III	GM WS-ATF
BMW 83 22 0 397 114 - DEXRON <sup>®</sup> VI	Honda ATF DW-1, ATF Z1
Ford M-LV, XT-10-QLV	Hyundai NWS-9638 T-5
Ford M-SP, XT-6-QSP	Hyundai/Kia SP-IV/SPH-IV
GM DEXRON <sup>®</sup> II	JASO M315, Class 1A
GM DEXRON <sup>®</sup> IID	Toyota/Lexus/Scion WS
GM DEXRON <sup>®</sup> IIE	Mercedes 236.41
GM DEXRON <sup>®</sup> IIIG	Mitsubishi DiaQueen ATF-J2, ATF-J3
GM DEXRON <sup>®</sup> IIIH	Nissan/Infiniti Matic-J, Matic-S

DEXRON<sup>®</sup> is a registered trademark of General Motors Corporation



**Warren Oil Company, LLC**

Dunn, NC 28334: Benton, AL 36758: San Antonio, TX 78210:  
Marion, IL 62959: Johnstown, PA 15909: West Memphis, AR 72301



## LubriGold<sup>®</sup> Full Synthetic Multi-Vehicle DEXRON<sup>®</sup>-VI ATF

### Typical Characteristics:

LubriGold Full Synthetic Multi-Vehicle ATF	
Gravity, API	34.79
Density, lbs/gals 60°F	7.089
Flash, COC, °F (°C)	399 (204)
Pour Point, °F (°C)	-50° (-58°)
Viscosity	
@ 40°C, cSt	31.02
@ 100°C, cSt	6.07
Viscosity Index	147
Brookfield Viscosity	
cP @ -40°C (Max)	13,470 (15,000)
Color	Red
Product Code	
BULK	19550
Drum	405064
6/QT	402254



**Warren Oil Company, LLC**

Dunn, NC 28334: Benton, AL 36758: San Antonio, TX 78210:  
Marion, IL 62959: Johnstown, PA 15909: West Memphis, AR 72301