



## Coastal<sup>®</sup> Global Full Synthetic Multi-Vehicle ATF

**COASTAL GLOBAL FULL SYNTHETIC MULTI-VEHICLE AUTOMATIC TRANSMISSION FLUID** represents the latest technology in full synthetic automatic transmission fluids. It is specifically formulated for the newest generation of high efficiency transmissions and is also a fuel efficient choice for older models as well.

### Benefits:

- Improved oxidation and thermal stability
- Full synthetic formula
- Outstanding low temperature performance
- Superior anti-wear protection
- Improved torque transfer

**COASTAL GLOBAL FULL SYNTHETIC MULTI-VEHICLE AUTOMATIC TRANSMISSION** is recommended for a wide range of passenger cars and light duty trucks, including: GM, Ford, Toyota, Honda/Acura, Nissan/Infiniti, Hyundai/Kia/Mitsubishi, Mazda, Subaru, and Volkswagen. Check owner's manual for specific recommendations.\*

\*This product is **NOT** recommended for Ford Type F, Continuously Variable Transmissions (CVT) or Double Clutch Transmissions (DCT) which require specialized OEM fluids.

Use Coastal Multi-Vehicle Synthetic Blend ATF for Ford vehicles requiring MERCON<sup>®</sup>V.

Use LubriGold Full Synthetic Multi-Vehicle DEXRON<sup>®</sup>-VI ATF for GM vehicles requiring DEXRON<sup>®</sup>-VI.

Use Coastal ATF+4<sup>®</sup> for Chrysler vehicles requiring an ATF+4<sup>®</sup> fluid.

DEXRON<sup>®</sup> is a registered trademark of General Motors Corporation.

MERCON<sup>®</sup> is a registered trademark of Ford Motor Company.

ATF+4<sup>®</sup> is a registered trademark of Chrysler Group LLC.



**Warren Oil Company, Inc**

Dunn, NC 28334: Benton, AL 36758: San Antonio, TX 78210:  
Marion, IL 62959: Johnstown, PA 15909: West Memphis, AR 72301



## Coastal<sup>®</sup> Global Full Synthetic Multi-Vehicle ATF

### Typical Characteristics:

API Gravity	34.8
Sp. Gr. @ 60 <sup>0</sup> F	0.8468
Flash, COC, <sup>0</sup> F	400
Pour Pt., <sup>0</sup> F	-55
Viscosity, cP @ -40 <sup>0</sup> C	12,100
Viscosity, cSt @ 40 <sup>0</sup> C	32.0
cSt @ 100 <sup>0</sup> C	6.3
Viscosity Index	152
Color	Red
Product Code	
BULK	705100
Tote, 275 GAL	705198
Drum	705112



**Warren Oil Company, Inc**

Dunn, NC 28334: Benton, AL 36758: San Antonio, TX 78210:  
Marion, IL 62959: Johnstown, PA 15909: West Memphis, AR 72301



# Coastal® Global Full Synthetic Multi-Vehicle ATF

OEM/ATF	APPLICATION	OEM/ATF	APPLICATION	OEM/ATF	APPLICATION
<b>Allison</b>	C4	<b>GM / GMC / Opel / Saturn</b>	AW1	<b>Mazda</b>	F-1
<b>ATF</b>	Esso LT 71141		II/IIID/IIIE/IIIG/IIIH		FZ
	JWS 3309		P/N 12378515 (Synthetic)		M-5, P/N XT-9-QMMS
	Mobil ATF 3309		P/N 19 40 700		M-III
	Shell 3403-M115		P/N 19 40 767		Type T-IV
	Shell M-1375.4		P/N 21005966 Transaxle	<b>Mitsubishi</b>	ATF-J2
	Shell LA 2634		P/N 22717466		ATF-J3
	Texaco ETL 7045E		P/N 88863400		SP, P/N MS991156
	Texaco ETL 8072B		P/N 88863401		SP-II/III
	Texaco N402		P/N 88900925	<b>Nissan / Infinity</b>	402
<b>Bentley</b>	P/N PY112995PA		P/N 9986195		Matic-D/J/K/W
<b>BMW / MINI</b>	P/N 81 22 9 400 272/275		T-IV		Matic-S
	P/N 81 22 9 407 858/859		Type A Suffix A	<b>Porsche</b>	P/N 000 043 204 41
	P/N 83 22 0 024 359	<b>Honda / Acura</b>	DW-1		P/N 000 043 205 09
	P/N 83 22 0 026 922		Z-1		P/N 000 043 205 28
	P/N 83 22 0 142 516	<b>Hyundai / Kia</b>	ATF Red-1K		P/N 000 043 304 00
	P/N 83 22 0 397 114		Genuine ATF		P/N 999 917 547 00 (A2)
	P/N 83 22 0 402 413		JWS-3309 T-4	<b>PSA Peugeot Citorën</b>	P/N Z 000169756
	P/N 83 22 0 403 248		NWS-9638 T-5	<b>Renault</b>	Matic D2
	P/N 83 22 0 403 249		P/N 040000C90SG	<b>Saab</b>	3309-T-IV
	P/N 83 22 7 542 290		P/N UM040 CH20 Red-1		P/N 93 165 147 – AW-1
	P/N 83 22 9 407 765		SP-II/III/IV/IV-M	<b>SSANG YONG</b>	DSIH 5M-66
	P/N 83 22 9 407 807		SPH-IV	<b>Subaru</b>	HP
	P/N 8322 2152426	<b>Idemitsu</b>	ATF HP		P/N K0140Y0700
			K17	<b>Suzuki</b>	3314/3317
<b>Chrysler / Dodge / Jeep</b>	AS68RC ATF	<b>Isuzu</b>	ATF II/III	<b>Toyota / Lexus / Scion</b>	Type D-II/T-T-III/T-IV
	M8236.12		Genuine ATF		Type WS
	P/N 05127382AA		P/N 08200-9001	<b>Volkswagen / Audi</b>	G 052 025 A2
	P/N 68043742AA	<b>Jaguar</b>	Fluid 8432		G 052 055
	SP-III		JLM 20238		G 052 162 (-A1,-A2)
	P/N 68157995AA		JLM 20292		G 052 533
<b>Fiat</b>	AW-1		JLM 21044		G 052 990 (A2)
<b>Mercedes / Daimler</b>	MB 236.3/5/6/7/8/9		K17		G 055 005 (-A,A2)
	MB 236.10/11/91		WSS-M2C922-A1		G 055 025 (A2)
	MB 236.12/14/15/41		02JDE 26444		G 055 540 (A2)
<b>Ford / Lincoln / Mercury</b>	P/N XT-10-QLV [LV]	<b>JASO</b>	M315, Class 1A		G US 000 162
	P/N XT-2-QDX [M]	<b>Land Rover</b>	P/N TYK500050		G 055162 A1/A2/A6
	P/N XT-2-QSM [Syn]		P/N LR023288	<b>Volvo</b>	P/N 1161521
	P/N XT-8-QAW [Premium]	<b>MAN</b>	339A		P/N 1161540 / 1161640
	P/N XT-9-QMM5 [FNRS5]	<b>Maserati</b>	P/N 231603	<b>Volvo Constr. Equip. (VCE)</b>	1273,41
	WSS-M2C922-A1			<b>ZF</b>	TE-ML 11A\11B
					Lifeguardfluid 6 & 8



**Warren Oil Company, Inc**

Dunn, NC 28334: Benton, AL 36758: San Antonio, TX 78210:  
Marion, IL 62959: Johnstown, PA 15909: West Memphis, AR 72301